



We can provide interpreters for a variety of languages, information in larger print or other formats (e.g. audio) - please call us on 01932 723553.

To use the Text Relay service, prefix all numbers with 18001.

اگر نیاز به ترجمہ دارید، لطفاً با شماره 01932 723553 تماس بگیرید۔

ਜੇ ਤੁਹਾਨੂੰ ਤਰਜਮੇ ਦੀ ਲੋੜ ਹੈ ਤਾਂ ਕਿਰਪਾ ਕਰਕੇ ਇਸ ਨੰਬਰ ਤੇ ਫੋਨ ਕਰੋ: 01932 723553

اگر آپ اس کا اردو زبان میں ترجمہ چاہتے ہیں، تو براہ کرم اس فون نمبر 01932 723553 پر رابطہ کریں

Se precisa de uma tradução por favor contacte: 01932 723553

আপনার অনুবাদের দরকার হলে এখানে যোগাযোগ করুন : 01932 723553

यदि आपको अनुवाद की ज़रूरत है तो कृपया इस नंबर पर फोन करें: 01932 723553

Jeżeli chcemy, aby te informacje w innym języku, proszę zadzwonić 01932 723553

Ashford Hospital
London Road
Ashford, Middlesex
TW15 3AA
Tel: **01784 884488**

St. Peter's Hospital
Guildford Road
Chertsey, Surrey
KT16 0PZ.
Tel: **01932 872000**

Website: www.ashfordstpeters.nhs.uk

Breast Patients discharged with Redivac Drain

Breast Clinic



Breast Patients discharged with Redivac Drain

Introduction

Following surgery to the breast and / or under the arm, a wound drain may be inserted. This helps to prevent fluid collecting and causing swelling which increases the risk of infection. It will also minimise any bruising to the area.

The drain will normally stay in for around 5-7 days, or maybe shorter or longer depending on the amount of 24-hour drainage.

You will be advised to bring a specific bag in which to keep your drain. This can be attached to your waist with a belt.

Emptying the drain

During your hospital stay, your 24-hour drain output is measured; this is done by putting a mark on the bottle to signify where the level of drainage is. The bottle is calibrated with lines and numbers to make it simple and easy.



Further Information

We endeavour to provide an excellent service at all times, but should you have any concerns please, in the first instance, raise these with the Matron, Senior Nurse or Manager on duty. If they cannot resolve your concern, please contact our Patient Advice and Liaison Service (PALS) on 01932 723553 or email pals@asph.nhs.uk. If you remain concerned, PALS can also advise upon how to make a formal complaint.

Contact Numbers

After discharge, should you have any concerns or queries, please contact the Breast Care Nurses during office hours.

Telephone numbers of Breast Care Nurses are:

At Ashford Hospital direct **01784 884411**

St. Peter's Hospital direct **01932 722771**

Via switchboard **01932 872000** bleep 5129

At evenings and weekends direct telephone number of the ward:

Dickens Ward **01784 884004 / 884574**

Kingfisher Ward **01932 722380 / 722564**

Details regarding our hospitals, including information regarding the department caring for you can be found by logging on to our website www.ashfordstpeters.nhs.uk or the National NHS website www.nhs.uk which includes an A to Z guide to health.

On discharge, you can measure the drain output at a time that is convenient for you, e.g. every morning. What is important is that the 24-hour output is measured at the same time each day.

You will be provided with a spare drainage bottle and some antiseptic wipes. Your nurse will show you how to measure the drainage and how to change the bottle. The drain is removed when the drainage is clear and is equal to or less than 30mls in 24 hours.

There are three reasons why your bottle may need changing at home. These are:

- when the bottle is full
- when the green vacuum indicator is completely expanded indicating no suction left
- if the tubing disconnects

Do not panic

Just follow the steps below to change the bottle. Your nurse will demonstrate this before you go home.

1. Seal off the bottle by closing the sliding clamp on the green connection piece and >>	>> by sliding the clamp on the connecting tube
	

2. Disconnect the connecting tube from the bottle by unscrewing the Luer Lock



3. Screw in the new bottle tightly with the connecting tube, bearing in mind that loose connection can lead to loss of vacuum



5. You will have to bring the old bottles back to the hospital for correct disposal. Re-apply tape near the calibrations to help make marking easier



Removal of the Drain

Before you are discharged from hospital, a plan will have been put in place for removal of the drain once the volume of drainage has reduced. This is usually arranged with a breast care nurse or, if appropriate, the ward nurses will make the necessary referral for the District Nurse to visit you at home.

4. Open the sliding clamp on the bottle and>>

>>on the tubing

