



We can provide interpreters for a variety of languages, information in larger print or other formats (e.g. audio) - please call us on 01932 723553.

To use the Text Relay service, prefix all numbers with 18001.

اگر نیاز به ترجمہ دارید، لطفاً با شماره 01932 723553 تماس بگیرید۔

ਜੇ ਤੁਹਾਨੂੰ ਤਰਜਮੇ ਦੀ ਲੋੜ ਹੈ ਤਾਂ ਕਿਰਪਾ ਕਰਕੇ ਇਸ ਨੰਬਰ ਤੇ فون ਕਰੋ: 01932 723553

اگر آپ اس کا اردو زبان میں ترجمہ چاہتے ہیں، تو براہ کرم اس فون نمبر 01932 723553 پر رابطہ کریں

Se precisa de uma tradução por favor contacte: 01932 723553

আপনার অনুবাদের দরকার হলে এখানে যোগাযোগ করুন : 01932 723553

यदि आपको अनुवाद की ज़रूरत है तो कृपया इस नंबर पर फोन करें: 01932 723553

Jeżeli chcemy, aby te informacje w innym języku, proszę zadzwonić 01932 723553

Ashford Hospital
London Road
Ashford, Middlesex
TW15 3AA
Tel: **01784 884488**

St. Peter's Hospital
Guildford Road
Chertsey, Surrey
KT16 0PZ.
Tel: **01932 872000**

Website: www.ashfordstpeters.nhs.uk

Fractured Fifth Metacarpal

Paediatric A&E Department



Fractured Fifth Metacarpal

What is it?

The doctor who examined your child has diagnosed a fractured fifth metacarpal. This injury is sometimes known as a “boxer’s fracture” since on most occasions it is produced by hitting someone or something.

How will it be treated?

Your child will have had an X-ray examination to diagnose the injury. The fracture usually heals by itself so treatment is aimed at making it a little more comfortable. Sometimes your child will be given a sling to wear to help reduce the swelling during the first 24 hours. These injuries are usually managed conservatively, however, surgery is occasionally required if there is excessive angulation.

Pain relief

When you are at home a mild painkiller such as Paracetamol (Calpol) or Ibuprofen can be used as required which may help to mobilise effectively. Follow the instructions given with these regarding dosage and frequency.

Normal activities

Your child can start light activities immediately but the fracture itself does not heal for about six weeks, so contact sports must be left until then.

The most important thing in the first few days is to try and get the fingers moving as much as possible. If your child’s fingers become stiff they will be very difficult to get moving again.

What to expect

As your child’s hand improves you will notice two things. Firstly there will be a lump on the back of the hand near the knuckle of the little

finger. This is normal and occurs partly because the broken bone has bent slightly. It also develops as the body forms new bone around the fracture to help it to heal. The lump will smooth out over a year or two.

The second thing that you may notice is that, at first, the little finger will not straighten out as much as the other fingers. This should correct over the next few months as your child exercises their hand and the little finger will straighten in time.

Follow up

Your child will have been referred to virtual fracture clinic, and they will contact you regarding follow up. However, if you are worried about it before then please come back to A&E.

Further Information

Paediatric Accident and Emergency Department
St. Peter's Hospital
Guildford Road
Chertsey
Surrey KT16 0PZ

Telephone: **01932 872000**

For reassurance and advice please contact NHS Direct on: **111**

The following website gives useful advice: www.patient.co.uk

Further Information

We endeavour to provide an excellent service at all times, but should you have any concerns please, in the first instance, raise these with the Matron, Senior Nurse or Manager on duty. If they cannot resolve your concern, please contact our Patient Experience Team on 01932 723553 or email asp-tr.patient.advice@nhs.net. If you remain concerned, the team can also advise upon how to make a formal complaint.

Author: Dr Erin Dawson

Department: Paediatric A&E

Version: 5

Published: Oct 2021

Review: Oct 2024